



PRODUCT PERFORMANCE RATING

Document ID 091720190953-9635906

Issued on 17 September 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 14.12.005

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

Product	Variable refrigerant flow / Débit de réfrigérant variable (VRF)
Product type	VRF / Air cooled/ Reversible
Brand	LG
Range	MULTI V S
Product référence	ARUN040LSS5

This performance certificate is delivered for the following project:

Project Name	Company	Project reference	Project location
LG Electronics		Benelux	Netherlands

FEATURE	VALUE	UNIT
COOLING		
Pc out	12.10	kW
Pec out	3.43	kW
EERout	3.53	



PRODUCT PERFORMANCE RATING

Document ID 091720190953-9635906

Issued on 17 September 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 14.12.005

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
HEATING		
Ph out	12.10	kW
Peh out	2.30	kW
COPout	5.26	

FEATURE	VALUE	UNIT
ACOUSTICS		
LwO env	67.00	dB(A)

FEATURE	VALUE	UNIT
ACOUSTICS IN HEATING		
LwO env in heating	71.00	dB(A)



PRODUCT PERFORMANCE RATING

Document ID 091720190953-9635906

Issued on 17 September 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 14.12.005

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
SEASONALCOOLING		
SEER	8.10	
η_{sc}	321.00	%

FEATURE	VALUE	UNIT
COOLING PL COND B		
PcB	8.92	kW
EERB	6.61	

FEATURE	VALUE	UNIT
COOLING PL COND C		
PcC	5.74	kW
EERC	10.80	



PRODUCT PERFORMANCE RATING

Document ID 091720190953-9635906

Issued on 17 September 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 14.12.005

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
COOLING PL COND D		
PcD	3.63	kW
EERD	11.44	

FEATURE	VALUE	UNIT
SEASONALHEATING		
Pdesignh	8.75	kW
SCOP	4.70	
η_{sh}	185.00	%

FEATURE	VALUE	UNIT
HEATING PL COND A		
PhA	7.74	kW
COPA	3.60	



PRODUCT PERFORMANCE RATING

Document ID 091720190953-9635906

Issued on 17 September 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 14.12.005

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
HEATING PL COND B		
PhB	4.72	kW
COPB	4.20	

FEATURE	VALUE	UNIT
HEATING PL COND C		
PhC	3.03	kW
COPC	6.30	

FEATURE	VALUE	UNIT
HEATING PL COND D		
PhD	2.90	kW
COPD	8.30	



PRODUCT PERFORMANCE RATING

Document ID 091720190953-9635906

Issued on 17 September 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 14.12.005

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
T BIVALENT		
Tbiv	-10.00	°C
PhTbiv	8.75	kW
COPTbiv	2.70	

FEATURE	VALUE	UNIT
PSBC		
Psbc	15.00	W

FEATURE	VALUE	UNIT
PSBH		
Psbh	15.00	W



PRODUCT PERFORMANCE RATING

Document ID 091720190953-9635906

Issued on 17 September 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 14.12.005

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
GENERAL - PRODUCT		
Mounting	ducted	
Cassette Type		
IU Range Names	ARNU***M*	
Main Power Supply	400-3-50	
Refrigerant	R410A	
Capacity Control	Variable	